

CMI-CDSS3010NH-SERIES




Features


- ▶ High current and low profile.
- ▶ Available tape and reel for auto insertion
- ▶ Simple and Shield structure.
- ▶ Halogen-Free

Applications

- ▶ Car navigation, car stereo and car accessories only
(Not available for use related to driving, curving, stopping, and the other safety.)




Dimension (Unit:mm)



A	B	C	D	E
3.0±0.2	3.0±0.2	1.0 Max.	0.75±0.2	1.5±0.2

Land Pattern (Unit:mm)



L	G	H
3.1	1.5	2.7

Specifications

Part Number	Inductance (uH)	Tolerance (±)	DCR(mΩ) ±20%	IDC1(A) Max.	IDC2(A) Max.	Test Frequency (Hz)
CMI-CDSS3010NH-1R0N	1.0	30%	65	1.40	1.45	100k
CMI-CDSS3010NH-1R5N	1.5	30%	80	1.27	1.30	100k
CMI-CDSS3010NH-2R2N	2.2	30%	110	1.15	1.09	100k
CMI-CDSS3010NH-3R3N	3.3	30%	145	0.97	0.96	100k
CMI-CDSS3010NH-4R7M	4.7	20%	225	0.75	0.77	100k
CMI-CDSS3010NH-6R8M	6.8	20%	305	0.55	0.66	100k
CMI-CDSS3010NH-100M	10	20%	400	0.55	0.58	100k
CMI-CDSS3010NH-150M	15	20%	610	0.42	0.47	100k
CMI-CDSS3010NH-220M	22	20%	930	0.35	0.38	100k
CMI-CDSS3010NH-330M	33	20%	1550	0.29	0.30	100k

- All specifications are subject to change without notice.
- Update date : 2018.04.11

Part Number	Inductance (uH)	Tolerance (±)	DCR(mΩ) ±20%	IDC1(A) Max.	IDC2(A) Max.	Test Frequency (Hz)
CMI-CDSS3010NH-470M	47	20%	1950	0.22	0.26	100k

- IDC1: When based on the inductance change rate (approximately 30% below in the initial value)
- IDC2: When based on the temperature increase (Temperature increase of approximately 40°C by self heating)
- Operating Temperature Range(including self temperature) : -40°C ~ +105 °C

Ilsan Sales Office (KOREA)

+82)31-904-1444

coilmaster@coilmaster.com

H.K Sales Office (HONGKONG)

+852)2711-5551

coilmaster@coilmaster.com

Shenzhen Sales Office (CHINA)

+86)755-8663-6929

coilmaster@coilmaster.com

LA Sales Office (USA)

+1)866-446-3586

coilmaster@coilmaster.com

Hungary Sales office (EUROPE)

+36)30-913-7706

coilmaster@coilmaster.com

- All specifications are subject to change without notice.
- Update date : 2018.04.11

www.coilmaster.com