

# CME-FLF19CB-SERIES-A



## Features

- ▶ Low stray capacitance.
- ▶ High attenuation of a wide frequency band.
- ▶ Low leakage inductance.
- ▶ Automatic winding.
- ▶ No danger of the layer short for the single layer winding


## Picture



## Application

- ▶ TV, Monitor, Audio, Adaptor, DVD, PC SMPS & Any Power

## Dimension (Unit:mm)



A	B	H
20 Max.	12 Max.	21 Max

## Specifications

- ▶ Rated voltage : AC/DC free voltage
- ▶ Operating temperature : -25℃ ~ 120℃
- ▶ Withstanding voltage : AC 1.5 KV at 1 minute
- ▶ Insulation resistance : 100MΩ Min, at DC500 V

Part No.	Inductance (mH)	Rated Current (A)	Type	Remarks
CME-FLF19CB-030-006VA	6	2.5	Vertical	Horizontal Type Development In progress
CME-FLF19CB-020-010VA	10	1.8		
CME-FLF19CB-015-016VA	16	1.3		

Ilsan Sales Office (KOREA)  
 H.K Sales Office (HongKong)  
 Shenzhen Sales Office (CHINA)  
 LA Sales Office (USA)  
 Hungary Sales office (EUROPE)

+82)31-904-1444  
 +852)2711-5551  
 +0755-8663-6929  
 +1)866-446-3586  
 +36)30-521-7818

[coilmaster@coilmaster.com](mailto:coilmaster@coilmaster.com)  
[coilmaster@coilmaster.com](mailto:coilmaster@coilmaster.com)  
[kimha@coilmaster.com](mailto:kimha@coilmaster.com)  
[markyang@coilmaster.com](mailto:markyang@coilmaster.com)  
[coilmaster@coilmaster.com](mailto:coilmaster@coilmaster.com)

- All specifications are subject to change without notice.
- Update date : 2016.04.22